RCE/3713
PATENT A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In je application of: Kevin D.J. Bowden

Confirmation No.: 5341

Application No.: 09/648,143

Group No.: 3743

Filed: August 25, 2000

Examiner: Mital B. Patel

For:

FLOW CONTROL VALVE FOR MANUAL RESUSCITATOR DEVICES

RECEIVED

Mail Stop RCE Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

APR 0 6 2004

TECHNOLOGY CENTER R3700

REQUEST FOR CONTINUED EXAMINATION (RCE) (37 C.F.R. § 1.114)

1. Applicant hereby requests continued examination, in accordance with 37 C.F.R. § 1.114, for the above identified application.

TIME REQUEST IS BEING MADE

- 2. This request is being submitted:
 - i. Prior to abandonment of the application

CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10*

(When using Express Mail, the Express Mail label number is mandatory; Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

XX deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

37 C.F.R. § 1.8(a) XX with sufficient postage as first class mail.

37 C.F.R. § 1.10*

as "Express Mail Post Office to Addressee"

Mailing Label No.

__ (mandatory)

TRANSMISSION
_ facsimile transmitted to the Patent and Trademark Office, (703) ____ _ - ___ - ___

•

Signature

Date: March 25, 2004

Crystal Belknap

(type or print name of person certifying)

* Only the date of filing (' 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under ' 1.8 continues to be taken into account in determining timeliness. See ' 1.703(f). Consider "Express Mail Post Office to Addressee" (' 1.10) or facsimile transmission (' 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.